	Application No.	Applicant(s)
Notice of Allowability	10/774,921	FOGERLIE, SIVERT G.
	Examiner	Art Unit
	James W. Cranson	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to application filed 2/09/2004.		
2. The allowed claim(s) is/are <u>1-16</u> .		
3. The drawings filed on <u>09 February 2005</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Da 98), 7. ☑ Examiner's Amendr	te

Art Unit: 2875

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Scott A Hill, Registration No. 48899, on June 3, 2005 @455pm EST.

The application has been amended as follows: Attorney for applicant agreed to cancel claims 17-20.

The following is an examiner's statement of reasons for allowance: Claim 1 has a solar light box comprising upper and lower step, each step has face and sides, upper step framing lower step, one light aperture in lower step's face, a light source mounted partially in light aperture, a deep cavity in lower step that is defined by lower step's face and sides, a rain barrier ridge around where an opening drops into deep cavity, one drainage passageway around where an opening drops into deep cavity, one drainage passageway through upper step, and a solar panel lying inside upper step, between upper step's sides.

This combination of limitations is not found or taught in the art of record.

Claims 2-8 depend from claim 1 and are allowable for the same reason's.

Art Unit: 2875

Independent claim 9 ads to the limitations of independent claim 1 an outdoor solar powered light assembly that uses a solar panel as a protective lid comprising a rechargeable battery, a charge controller that is connected between solar panel and rechargeable battery, a sensor bracket, a sensor aperture, an energy conserving switch between rechargeable battery and light source, mounted to sensor bracket and at least partially in sensor aperture, means for securing solar panel to solar light box and means for supporting outdoor solar powered light assembly.

This combination of limitations is not found or taught in the art of record.

Claims 10-16 depend from claim 9 and are allowable for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James W. Cranson whose telephone number is 571-272-2368. The examiner can normally be reached on Mon-Fri 8:30A.M.- 5:00P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandy O'Shea can be reached on 571-272-2378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/774,921 Page 4

Art Unit: 2875

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

THOMAS M. SEMBER PRIMARY EXAMINER